


PRZEKŁADNIA: NMRV-040-63B5

WIDOK 3D




DANE TECHNICZNE I WYMIARY

GR Size	040
RAP Ratio	5; 7,5; 10; 15; 20; 25; 30; 40; 50; 60;
PAM Input PAM flange	63 B5 80; 100;
ACU Output hole shaft (d)	18
VB Double input shaft	NO
TFU Output flange gear unit 2	NO
DFU Output flange dimension (d)	-
PFU Output flange position	-
AL Output hole shaft (d)	NO
PAL Output shaft position	-
BR Torque arm	NO
PBR Torque arm position	-
CAP Cover	NO
TIP Motor type	NO
GRA Motor size	-
RAF Cooling	-
FC Motor execution	-
TF Break type	-
AF Brake power supply	-
COP Terminal box cover	-
CVE Fan cover	-
MOR Terminal box cover position	-
A	70
AC	-
B	23
B1	4
BB	6
BM	4
BM1	-
D	18(19)
D1	11

DM	11
DM1	-
E	-
F	-
FF	-
G	70
G1	78
H	50
I	40
K	60
KE	M6x10(4)
L	71
LB	-
LL	-
M	75
N	60
N1	36.5
O	6.5
P	87
PM	140
PM1	-
Q	55
R	71.5
S	6.5
T	26
T1	12.5
TM	12.8
TM1	-
TT	20.8(21.8)
V	35
W	45°

WIDOK 2D



AKCESORIA

